

Literature Cited

- Akbar, S., D.S. Fries, and M.H. Malone. 1995. Effect of various pretreatments on the hypothermic activity of repin in naive rats. *Journal of Ethnopharmacology* 49(2):91-99.
- Anonymous. 1999. Caltrans invasive weed control efforts. *Noxious Times* 2(2):10-11.
- Anonymous. 2003. Improved training grounds. *Vistas* 16 (2):1-2.
- Balciunas, J. and B. Villegas. 1999. Two new seed head flies attack yellow starthistle. *California Agriculture* 53(2):8-11.
- Barry, S. 1995. Cattle fecal fax. University of California, Cooperative Extension. October Report, Nov. 7, 1995.
- Barthell, J.F., J.M. Randall, R.W. Thorp, and A.M. Wenner. 2001. Promotion of seed set in yellow star-thistle by honey bees: evidence of an invasive mutualism. *Ecological Applications* 11(6):1870-1883.
- Benefield, C.B., J.M. DiTomaso, and G.B. Kyser. 1998. Impacts of yellow starthistle density on the soil moisture profile and rangeland management. Proc., Western Society of Weed Science. 51:66.
- Benefield, C.B., J.M. DiTomaso, G.B. Kyser, S.B. Orloff, K.R. Churches, D.B. Marcum, and G.A. Nader. 1999. Success of mowing to control yellow starthistle depends on timing and plant's branching form. *California Agriculture* 53(2):17-21.
- Benefield, C.B., J.M. DiTomaso, G.B. Kyser, and A. Tschohl. 2001. Reproductive biology of yellow starthistle (*Centaurea solstitialis*): Maximizing late season control. *Weed Science* 49(1):83-90.
- Bennett, A.R., W.L. Bruckart, and N. Shishkoff. 1991. Effects of dew, plant age, and leaf position on the susceptibility of yellow starthistle to *Puccinia jaceae*. *Journal of the American Phytopathological Society* 75(5):499-501.
- Billings, W.D. 1994. Ecological impacts of cheatgrass and resultant fire on ecosystems in the western Great Basin. Pages 22-30. S.B. Monsen and S.G. Kitchen, eds. In: Proc. Ecology and Management of Annual Rangelands. U.S.D.A. For. Serv. Intermt. Res. Stat., General Tech. Rept. INT-GTR-313, Ogden, UT.
- Borman, M.M., D.E. Johnson, and W.C. Krueger. 1992. Soil moisture extraction by vegetation in a Mediterranean/maritime climatic regime. *Agronomy Journal* 84:897-904.
- Borman, M.M., W.C. Krueger, and D.E. Johnson. 1991. Effects of established perennial grasses on yields of associated annual weeds. *Journal of Range Management* 44:318-322.
- Brown, C.S., K. J. Rice and V. Claassen. 1998. Competitive growth characteristics of native and exotic grasses. Final Report to the California Department of Transportation, Report No. FHWA/CA/ESC-98/07, 228 pp.
- Brown, C.S., R.L. Bugg, and J.H. Anderson. 1993. Roadside planting of perennial grasses. *Grasslands* 3(4):1-3.
- California Invasive Plant Council (Cal-IPC). 2006. California Invasive Plant Inventory. Cal-IPC Publication 2006-02. California Invasive Plant Council: Berkeley, CA. Available: www.cal-ipc.org.
- Callihan, R.H. and J.O. Evans. 1991. Weed dynamics on rangeland. pp. 55-61. In: J.O. Evans, M.H. Ralphs, and R.D. Child, (eds.) L. F. James, *Noxious Range Weeds*, Westview Press, San Francisco, CA.
- Callihan, R.H., C.H. Huston, and D.C. Thill. 1986. Establishment of intermediate wheatgrass in a yellow starthistle-infested range. Research Progress Report, Western Society of Weed Science, pp. 49-50.
- Callihan, R.H. and L.W. Lass. 1996. Yellow starthistle management with herbicides. Current Info. Series No. 1036, 12 pp. Univ. Idaho, College of Agriculture.
- Callihan, R.H., L.W. Lass, C.W. Hunt, and G. Pritchard. 1995. Comparative digestibility of yellow starthistle (*Centaurea solstitialis*). Research Progress Report, Western Society of Weed Science, p 36.
- Callihan, R.H., F.E. Northam, J.B. Johnson, E.L. Michalson, and T.S. Prather. 1989. Yellow starthistle. Biology and management in pasture and rangeland. Current Info. Series No. 634, University of Idaho, College of Agriculture. 4 pp.
- Callihan, R.H., T.S. Prather, and F.E. Northam. 1993. Longevity of yellow starthistle (*Centaurea solstitialis*) achenes in soil. *Weed Technology* 7:33-35.
- Callihan, R.H. and R.O. Schirman. 1991a. Effects of five hormone-type herbicides on the survival of yellow starthistle seedlings from a known susceptible population and a suspected picloram resistant population. Research Progress Report, Western Society of Weed Science, pp. 40-42.
- Callihan, R.H. and R.O. Schirman. 1991b. Effects of picloram and dicamba on the survival of yellow starthistle seedlings transplanted from a suspected picloram resistant and a known picloram susceptible population. Research Progress Report, Western Society of Weed Science, pp. 38-39.

- Callihan, R.H., R.O. Schirman, and W.J. Price. 1991. Effects of winter and spring applied herbicides on yellow starthistle density. Research Progress Reports, Western Society of Weed Science, pp. 36-37.
- Callihan, R.H., R.L. Sheley, and D.C. Thill. 1982. Yellow starthistle: identification and control. Current Info. Series No. 634, University of Idaho, College of Agriculture. 4 pp.
- Campbell, D. and T.A. Cahill. 1996. Air quality impact of forest burning in the Sierra Nevada. Forest Vegetation Management Conference 17:159-165.
- Campobasso, G., R. Sobhian, L. Knutson, and G. Terragitti. 1998. Host specificity of *Bangasternus orientalis* Capiomont (Coleoptera: Curculionidae) introduced into the United States for biological control of yellow starthistle (*Centaurea solstitialis* L., Asteraceae: Cardueae). *Environmental Entomology* 27(6):1525-1530.
- Carlson, J.E., D.B. Willis, E.L. Michalson, and R.H. Callihan. 1990. Yellow starthistle in North-Central Idaho: A survey of farmers' and ranchers' behavior and attitudes (1982 and 1988). Bull. Idaho Agric. Exp. Stn. Series No. 11[712], pp. 2-10. Moscow, Idaho.
- Carrithers, V.G., D.R. Gaiser, C. Duncan, and D. Horton. 1997. Seed germination of yellow starthistle and spotted knapweed after treatment with picloram or clopyralid. Proc., West. Soc. *Weed Sci.* 50:39-40.
- Cheeke, P.R. and L.R. Shull. 1985. Other plant toxins and poisonous plants. Ch. 11. pp. 358-392. In: *Natural Toxicants in Feeds and Poisonous Plants*. The Avi Publ. Co., Westport, CT.
- Clement, S.L. 1990. Insect natural enemies of yellow starthistle in Southern Europe and the selection of candidate biological control agents. *Environmental Entomologist* 19(6):1882-1888.
- Clement, S.L. 1994. Resistance among populations of yellow starthistle to thistle-head insects: results from garden plots in Italy. *Biological Control* 4(2):149-156.
- Clement, S.L., T. Mimmocchi, R. Sobhian, and P.H. Dunn. 1988. Host specificity of adult *Eustenopus hirtus* (Waltl.) (Coleoptera: Curculionidae), a potential biological control agent of yellow starthistle, *Centaurea solstitialis* L. (Asteraceae, Cardueae). Proc., Entomological Society of Washington 90:501-507.
- Clement, S.L. and R. Sobhian. 1991. Host-use patterns of capitulum-feeding insects of yellow starthistle: results from a garden plot in Greece. *Environmental Entomology* 20(2):724-730.
- Connett, J.C. and J.P. McCaffrey. 1995. *Eustenopus villosus*: an enemy of yellow starthistle. *Knapweed* 9:6.
- Connett, J.F., J.P. McCaffrey. 2005. Laboratory and field observations of the behavior of *Eustenopus villosus* while feeding and ovipositing on yellow starthistle. *BioControl* 50: 941-952.
- Connor, J.M. 2003. Impacts of invasive species on rangelands. Proc., California Weed Science Society 55:26-31.
- Cooksey, D. and R. Sheley. 1998. Mapping noxious weeds in Montana. Publ. No. EB148. Montana State University Extension Service, Bozeman, MT. 21 pp.
- Cordy, D.R. 1954a. Nigropallidal encephalomalacia (chewing disease) in horses on rations high in yellow star thistle. Proc., American Veterinary Medical Association. 91:149-154.
- Cordy, D.R. 1954b. Nigropallidal encephalomalacia in horses associated with ingestion of yellow star thistle. *Journal of Neuropathology and Experimental Neurology* 13:330-342.
- Cordy, D.R. 1978. *Centaurea* species and equine nigropallidal encephalomalacia. pp. 327-336. In: R.F. Keeler, K.R. Van Kampen, and L.F. James (eds.) *Effects of Poisonous Plants on Livestock*. Academic Press, New York.
- Dellow, J.J. 1996. Herbicide techniques for thistle management. *Plant Protection Quarterly* 11:276- 277.
- DeLoach, C.J., M.J. Pitcairn and D. Woods. 1996. Biological control of salt cedar in Southern California. pp. 30-31 In: DiTomaso, J.M. and C.E. Bell(eds.) Proceedings of the Saltcedar Management Workshop, Rancho Mirage, California.
- DiTomaso, J.M. 1997. Risk analysis of various weed control methods. Proc., California Exotic Pest Plant Council Symposium 3:34-39.
- DiTomaso, J.M. 2000. Invasive weeds in rangelands: Species, impacts and management. *Weed Science* 48:255-265.
- DiTomaso, J.M. 2004. Herbicide resistance in weeds: How serious a problem is it in wildlands? *Noxious Times* 6(1):6-7,13.
- DiTomaso, J.M. and J. Gerlach. 2000a. *Centaurea solstitialis* (yellow starthistle). pp. 101-106. In: C. Bossard, J.M. Randall, M. Hoshovsky (eds.) *Invasive Plants of California's Wildlands*. University of California Press, Berkeley, CA.
- DiTomaso, J.M. and J. Gerlach. 2000b. *Centaurea melitensis* (tocolate). Pages 98-100. In: C. Bossard, J.M. Randall, M. Hoshovsky, eds. *Invasive Plants of California's Wildlands*. University of California Press, Berkeley, CA.
- DiTomaso, J.M., G.B. Kyser, J.R. Miller, S. Garcia, R.F. Smith, G. Nader, J.M. Connor, and S.B. Orloff. 2006. Integrating prescribed burning and clopyralid for the management of yellow starthistle (*Centaurea solstitialis*). *Weed Science* 54:757-767.
- DiTomaso, J.M., G.B. Kyser, S.B. Orloff, S.F. Enloe, and G.A. Nader. 1999b. New growth regulator herbicide provides excellent control of yellow starthistle. *California Agriculture* 53(2):12-16.
- DiTomaso, J.M., G.B. Kyser, S. Orloff, S. Garcia, G. Nader, and R. Smith. 2003a. Integrated management of yellow starthistle and medusahead using prescribed burning and clopyralid. In: M. Kelly (ed.) Proc., California Exotic Pest Plant Council Symposiums 2000, 2001, 2002. 6:62-63.

- DiTomaso, J.M., G.B. Kyser, and M.S. Hastings. 1999a. Prescribed burning for control of yellow starthistle (*Centaurea solstitialis*) and enhanced native plant diversity. *Weed Science* 47: 233-242.
- DiTomaso, J.M., G.B. Kyser, S.B. Orloff, and S.F. Enloe. 2000b. Integrated strategies offer site-specific control of yellow starthistle. *California Agriculture* 54(6):30-36.
- DiTomaso, J.M., G.B. Kyser, and C.B. Pirosko. 2003b. Effect of light and density on yellow starthistle (*Centaurea solstitialis*) root growth and soil moisture use. *Weed Science* 51(3):334-341.
- DiTomaso, J.M., W.T. Lanini, C.D. Thomsen, T.S. Prather, C.E. Turner, M.J. Smith, C.L. Elmore, M.P. Vayssieres, and W.A. Williams. 1999c. Yellow starthistle. Pest Notes 3:1-4. Univ. of California, Div. Ag. Nat. Res., Oakland, CA.
- DiTomaso, J.M., J.R. Miller, G.B. Kyser, A. Hazebrook, J. Trumbo, D.L. Valcore, and V.F. Carrithers. 2004. Aerial application of clopyralid demonstrates little drift potential and low toxicity to toads. *California Agriculture* 58(3):154-158.
- DiTomaso, J.M., S.B. Orloff, G.B. Kyser and G.A. Nader. 1998b. Influence of timing and chemical control on yellow starthistle. Proc., California Weed Science Society 50:190-193.
- Dow AgroSciences. 1998. Clopyralid. A North American Technical Profile. Dow AgroSciences LLC, Indianapolis, IN
- Dudley, D.R. 2000. Wicked weed of the west. *California Wild* 53:32-35.
- Edwards, B. 1989. Research to control yellow star thistle: the dilemma between a valuable honey plant and a noxious weed. *American Bee Journal* 129:489-490.
- Enloe, S.F. 2002. The ecology and management of yellow starthistle in annual and perennial grassland communities. Ph.D. dissertation. University of California, Davis, CA
- Enloe, S.F., J.M. DiTomaso. 2004. Soil water dynamics differ among rangeland plant communities dominated by yellow starthistle (*Centaurea solstitialis*) annual grasses or perennial grasses. *Weed Science* 52:929-935.
- Enloe, S., J.M. DiTomaso, S. Orloff, and D. Drake. 1999a. Integrated management of yellow starthistle on California rangeland. Proc., California Weed Science Society 51:24-27.
- Enloe, S., J.M. DiTomaso, S.B. Orloff, and D. Drake. 1999b. Selective yellow starthistle management and revegetation strategies for annual rangelands. Proc., Forest Vegetation Management Conference 20:29-32.
- Enloe, S.F., J.M. DiTomaso, S. Orloff, and D. Drake. 2000. Integrated strategies for the attrition of yellow starthistle on Northern California rangeland. Proc., California Weed Science Society 52:31-34.
- Enloe, S.F., J.M. DiTomaso, S. Orloff, and D. Drake. 2005. Perennial grass establishment integrated with clopyralid treatment for yellow starthistle management on annual range. *Weed Technology* 19(1):94-101.
- Evans, R.R. 1998. Transline/fertilizer combination boosts forage on range. *Ag Alert* Sept. 23.
- Ferrell, M.A., T.D. Whitson, D.W. Koch, and A.E. Gade. 1993. Integrated control of leafy spurge (*Euphorbia esula*) with Bozoiisky Russian wildrye (*Psathyrostachys juncea*) and Luna pubescent wheatgrass (*Agropyron intermedium* var. *trichophorum*). Proc., Western Society of Weed Science 46:36-38.
- Finney, M.A. and R.E. Martin. 1992. Short fire intervals recorded by redwoods at Annadel State Park, California. *Madroño* 39:251-262.
- Fornasari, L. and C.E. Turner. 1992. Host specificity of the Palearctic weevil *Larinus curtus* Hochhut (Coleoptera: Curculionidae), a natural enemy of *Centaurea solstitialis* L. (Asteraceae: Cardueae). Delfosse, E. S. and R. R. Scott (eds.) Melbourne. Proc, VIII International Symposium on Biological Control of Weeds. 8.
- Fornasari, L. and R. Sobhian. 1993. Life history of *Eustenopus villosus* (Coleoptera: Curculionidae), a promising biological control agent for yellow starthistle. *Environmental Entomology* 22:684-692.
- Fornasari, L., C.E. Turner, and L.A. Andres. 1991. *Eustenopus villosus* (Coleoptera: Curculionidae) for biological control of yellow starthistle (Asteraceae: Cardueae) in North America. *Environmental Entomology* 20(4):1187-1194.
- Frost, R.A. and K.L. Launchbaugh. 2003. Prescription grazing for rangeland weed management. *Rangelands* 25(6):43-47.
- Fuerst, E.P., M.A. Norman, G.P. Irzyk, T.S. Prather, and R.H. Callihan. 1994. Picloram-resistant yellow starthistle: cross-resistance and absorption, translocation, and metabolism of picloram. Proc., Western Society Weed Science 47:88-89.
- Fuerst, E.P., T.M. Sterling, M.A. Norman, T.S. Prather, G.P. Irzyk, Y. Wu, N.K. Lownds, and R.H. Callihan. 1996. Physiological characterization of picloram resistance in yellow starthistle. *Pesticide Biochemistry and Physiology* 56:149-161.
- Fuller, T.C. and G.D. Barbe. 1985. The Bradley method of eliminating exotic plants from natural reserves. *Fremontia* 13(2):24-25.
- Gaiser, D.R., V.F. Carrithers, and C. Duncan. 1997. Efficacy of picloram or clopyralid applications at three timings on spotted knapweed or yellow starthistle. Proc., Western Society of Weed Science 50:42-44.
- Gerlach, J.D. Jr. 2004. The impacts of serial land-use changes and biological invasions on soil water resources in California, USA. *Journal of Arid Environments* 57(3): 365-379.

- Gerlach, J.D., A. Dyer, and K.J. Rice. 1998. Grassland and foothill woodland ecosystems of the Central Valley. *Freemontia* 26:39-43.
- Gerlach, J.D., Jr. 1997a. How the west was lost: reconstructing the invasion dynamics of yellow starthistle and other plant invaders of western rangelands and natural areas. Proc., California Exotic Pest Plant Council Symposium 3:67-72.
- Gerlach, J.D., Jr. 1997b. The introduction, dynamics of geographic range expansion, and ecosystem effects of yellow starthistle (*Centaurea solstitialis*). Proc., California Weed Science Society 49:136-141.
- Gerlach, J.D., Jr. 2000. A model experimental system for predicting the invasion success and ecosystem impact of non-indigenous summer-flowering annual plants in California's Central Valley grasslands and oak woodlands. Ph.D. Dissertation. University of California, Davis.
- Gerlach, J.D., Jr. and K.J. Rice. 2003. Testing life history correlates of invasiveness using congeneric plant species. *Ecological Applications* 13(1):167-179.
- Gibbs, L.A., M.W. Murray, T.M. Sterling, and N.K. Lownds. 1995. Comparison of picloram-resistant and -susceptible yellow starthistle in a replacement series. Proc., Western Society of Weed Science 48:26.
- Goltz, L. 1999. Yellow starthistle on the hit list in California. *American Bee Journal* 139(5):383-384.
- Harrington, K.C. and W.T. Lanini. 2000. *Phalaris aquatica*. pp. 262-266 In: C. Bossard, J.M. Randall, M. Hoshovsky, (eds.) *Invasive Plants of California's Wildlands*. University of California Press, Berkeley, CA.
- Harrod, R.J. and R.J. Taylor. 1995. Reproduction and pollination biology of *Centaurea* and *Acroptilon* species, with emphasis on *C. diffusa*. *Northwest Science* 69(2):97-105.
- Hastings, M.S. and J.M. DiTomaso. 1996. The use of fire for yellow starthistle (*Centaurea solstitialis*) management and the restoration of native grasslands at Sugarloaf Ridge State Park. Proc., California Weed Science Society 48:114-119.
- Heady, H.F. 1973. Burning and the grasslands in California. Proc. Annual Tall Timbers Fire Ecology Conference 12:97-107.
- Herbicide Handbook. 1970, 1983, 1994. Weed Science Society of America, Champaign, Illinois.
- Hickman, J.C. 1993. *The Jepson Manual. Higher Plants of California*. pp. 222-223. University of California Press, Berkeley, CA.
- Jacobs, J.S., M.F. Carpinelli, and R.L. Sheley. 1999. Revegetating noxious weed-infested rangeland. pp. 133-141. In: R.L. Sheley and J.K. Petroff (eds.) *Biology and Management of Noxious Rangeland Weeds*. Oregon State University Press, Corvallis, OR.
- Jette, C., J. Connett, and J.P. McCaffrey. 1999. Biology and biological control agents of yellow starthistle. [FHTET-98-17]. Forest Health Technology Enterprise Team. Morgantown, WV. 93 pp.
- Jetter K.M., DiTomaso, J.M., D.J. Drake, K.M. Klonsky, M. Pitcairn, and D.A. Sumner. 2003. Biological control of yellow starthistle: a cost-benefit analysis. pp. 225-241 In: Summer, D.A. (ed.) *Exotic Pests and Diseases: Biology, Economics and Public Policy for Biosecurity*. Iowa State University Press, Ames, IA.
- Johnson, D. 1988. Forage species for replacement of yellow starthistle in Oregon. *Knapweed* 2:3.
- Johnson, J.B., J.P. McCaffrey, and F.W. Merickel. 1992. Endemic phytophagous insects associated with yellow starthistle in northern Idaho. *Pan-Pacific Entomologist* 68(3):169-173.
- Johnson, S.A. 2000. Thistle and bush management for rural and foothill landowners. Proc., California Weed Science Society 52:20-25.
- Joley, D.B., D.M. Maddox, B.E. Mackey, S.E. Schoenig, and K.A. Casanave. 1997. Effect of light and temperature on germination of dimorphic achenes of *Centaurea solstitialis* in California. *Canadian Journal of Botany* 75(12):2131-2139.
- Joley, D.B., D.M. Maddox, D.M. Supkoff, and A. Mayfield. 1992. Dynamics of yellow starthistle (*Centaurea solstitialis*) achenes in field and laboratory. *Weed Science* 40:190-194.
- Joley, D.B., D.M. Maddox, S.E. Schoenig, and B.E. Mackey. 2003. Parameters affecting germinability and seed bank dynamics in dimorphic achenes of *Centaurea solstitialis* in California. *Canadian Journal of Botany* 81:993-1007.
- Joley, D., M.J. Pitcairn, B. Villegas, G. Wilber, J. Torrence, and J.M. DiTomaso. 2002. Release and recovery of biocontrol agents associated with the integrated project on yellow starthistle at Fort Hunter Liggett. pp. 46-47. In: D.M. Woods (ed.). *Biological Control Program Annual Summary, 2001*. California Department of Food and Agriculture, Sacramento, CA.
- Jones & Stokes Associates, Inc. 1992. Preliminary Draft Natural Resources. Plan for Fort Hunter Liggett, California. Prepared for United States Army Corps of Engineers, Sacramento, CA.
- Jones, T. and J.M. DiTomaso. 2003. Yellow starthistle control using native grassland restoration. In: Kelly, M. (ed.) *Proceedings, California Exotic Pest Plant Council Symposia 2000, 2001, 2002*. 6:124.
- Keil, D.J. 2004. New taxa and new combinations in North American *Cirsium* (Asteraceae: Cardueae). *Sida* 29(1):207-219.
- Kingsbury, J.M. 1964. *Poisonous Plant of the United States and Canada*. pp. 396-397. Prentice-Hall, Inc. Englewood Cliffs, NJ.

- Klisiewicz, J.M. 1986. Susceptibility of yellow starthistle to selected plant pathogens. *Plant Disease* 70:295-297.
- Knapp, E.E. and K.J. Rice. 1997. Ecotypes of native species: how local is local in restoration plantings? Proc., California Exotic Pest Plant Council Symposium 3:51-55.
- Kyser, G.B. and J.M. DiTomaso. 2002. Instability in a grassland community after the control of yellow starthistle (*Centaurea solstitialis*) with prescribed burning. *Weed Science* 50(5):648-657.
- Larson, L.L. and M.L. McInnis. 1989a. Impact of grass seedlings on establishment and density of diffuse knapweed and yellow starthistle. *Northwest Science* 63:162-166.
- Larson, L.L. and M.L. McInnis. 1989b. Response of yellow starthistle (*Centaurea solstitialis*) and grass biomass to grass, picloram, and fertilizer combinations. *Weed Technology* 3:497-500.
- Larson, L.L. and R.L. Sheley. 1994. Ecological relationships between yellow starthistle and cheatgrass. *Ecology and Management of Annual Rangeland* pp. 92-94.
- Larson, K.A. and S. Young. 1970. Nigropallidal encephalomalacia in horses in Colorado [*Centaurea solstitialis*]. *American Veterinary Medical Association Journal*. 156(5):626-628.
- Lass, L.W. and R.H. Callihan. 1994a. Fall application of herbicides to yellow starthistle. Research Progress Report, Western Society of Weed Science, pp. 1-39-40.
- Lass, L.W. and R.H. Callihan. 1994b. Herbicide evaluation for yellow starthistle control. Research Progress Report, Western Society of Weed Science, pp. 1-41-42.
- Lass, L.W. and R.H. Callihan. 1995a. The effects of grass planting time on establishment in yellow starthistle infestations. Research Progress Report, Western Society of Weed Science, p. 33.
- Lass, L.W. and R.H. Callihan. 1995b. Testing the potential use of quinclorac for yellow starthistle control. Research Progress Report, Western Society of Weed Science, pp. 31-32.
- Lass, L.W., R.H. Callihan, and F.E. Northam. 1993. Yellow starthistle control in semiarid annual non-crop grassland. Research Progress Report, Western Society of Weed Science, pp. 1-103-104.
- Lass, L.W., H.W. Carson, and R.H. Callihan. 1995. Detecting yellow starthistle with high resolution remote sensing equipment. Research Progress Report, Western Society of Weed Science, pp. 34-35.
- Lass, L.W., H.W. Carson, and R.H. Callihan. 1996. Detection of yellow starthistle (*Centaurea solstitialis*) and common St. Johnswort (*Hypericum perforatum*) with multispectral digital imagery. *Weed Technology* 10:466-474.
- Lass, L.W., B. Shafii, W.J. Price and D.C. Thill. 2000. Assessing agreement in multispectral images of yellow starthistle (*Centaurea solstitialis*) with ground truth data using a Bayesian methodology. *Weed Technology* 14:539-544.
- Lym, R.G., K.K. Sedivec, and D.R. Kirby. 1997. Leafy spurge control with angora goats and herbicides. *Journal of Range Management* 50:123-128.
- Maddox, D.M. 1981. Introduction, phenology, and density of yellow starthistle in coastal, intercoastal, and central valley situations in California. ARR-W-20, pp. 1-33. USDA-ARS.
- Maddox, D.M., D.B. Joley, A. Mayfield, and B.E. Machey. 1991. Impact of *Bangasternus orientalis* (Coleoptera: Curculionidae) on achene production of *Centaurea solstitialis* (Asterales: Asteraceae) at a low and high elevation site in California. *Environmental Entomology* 20:335-337.
- Maddox, D.M., D.B. Joley, D.M. Supkoff, and A. Mayfield. 1996. Pollination biology of yellow starthistle (*Centaurea solstitialis*) in California. *Canadian Journal of Botany* 74:262-267.
- Maddox, D.M. and A. Mayfield. 1985. Yellow starthistle infestations are on the increase. *California Agriculture* 39(11/12):10-12.
- Maddox, D.M., A. Mayfield, and N.H. Poritz. 1985. Distribution of yellow starthistle (*Centaurea solstitialis*) and Russian knapweed (*Centaurea repens*). *Weed Science* 33(3):315-327.
- Maddox, D.M., A. Mayfield, and C.E. Turner. 1990. Host specificity of *Chaetorellia australis* (Diptera: Tephritidae) for biological control of yellow starthistle (*Centaurea solstitialis*, Asteraceae). Proc., Entomological Society of Washington 92:426-430.
- Maddox, D.M. and R. Sobhian. 1987. Field experiment to determine host specificity and oviposition behavior of *Bangasternus orientalis* and *Bangasternus fausti* (Coleoptera: Curculionidae), biological control candidates for yellow starthistle and diffuse knapweed. *Environmental Entomology* 16:645-648.
- Maddox, D.M., R. Sobhian, D.B. Joley, A. Mayfield, and D. Supkoff. 1986. New biological control for yellow starthistle. *California Agriculture* 40(11/12):4-5.
- Martin, A.A., F.G. Yanarella, R.A. Maurel, and J. Ruager. 1971. Nigropallidal encephalomalacia in horses provoked by chronic intoxication with yellow star thistle (*Centaurea solstitialis*). *Analecta Vet.* 3(1/3):43-53.
- McCaffery, J.P. and L.M. Wilson. 1994. Assessment of biological control of exotic broadleaf weeds in Intermountain rangelands. pp. 101-102 In: Monsen, S.B. and S.G. Kitchen, Proc., Ecology and Management of Annual Rangelands. USDA Forest Service Intermountain Research Station General Technical Report INT-GTR-313, Ogden, UT.
- McHenry, W.B., R.B. Bushnell, M.N. Oliver, and R.F. Norris. 1990. Three poisonous plants common in pastures and hay. Leaflet No. 21483, 10 pp. Cooperative Extension, University of California.

- Merrill, G.B. and K.L. Stevens. 1985. Sesquiterpene lactones from *Centaurea solstitialis*. *Phytochemistry* 24:2013-2018.
- Mettler, F.A. and G.M. Stern. 1963. Observations on the toxic effects of yellow star thistle. *Journal of Neuropathology and Experimental Neurology* 22:164-169.
- Miller, J.R. 2003. Integrated Management of Yellow Starthistle (*Centaurea solstitialis*) at Fort Hunter Liggett, Monterey County, California. M.S. thesis. University of California, Davis.
- Miller, T.W., S.L. Shinn, R.H. Callihan, L.W. Lass, and D.C. Thill. 1998. Livestock trampling of grass seedlings for enhanced establishment on yellow starthistle-infested rangelands. Proc., Western Society of Weed Science 51:114-116.
- Northam, F.E. and R.H. Callihan. 1988a. Adaptation of selected grasses to a semi-arid yellow starthistle-infested site. Research Progress Report, Western Society of Weed Science, pp. 64-67.
- Northam, F.E. and R.H. Callihan. 1988b. Perennial grass response to environment and herbicides in a yellow starthistle site. Proc., Western Society of Weed Science 41:84-86.
- Northam, F.E. and R.H. Callihan. 1988c. Yellow starthistle presence in 29 month-old stands of eight grasses. Research Progress Report, Western Society of Weed Science, pp. 60-63.
- Northam, F.E. and R.H. Callihan. 1989. The effects of herbicides on the species composition of an annual weed community. Research Progress Report, Western Society of Weed Science, pp. 112-115.
- Northam, F.E. and R.H. Callihan. 1990a. Evaluation of soil conservation plant materials for herbicide tolerance and revegetating semi-arid land infested with yellow starthistle. Res. Research Progress Report, Western Society of Weed Science, pp. 75-78.
- Northam, F.E. and R.H. Callihan. 1990b. Grass adaptation to semi-arid, yellow starthistle-infested canyonland. Research Progress Report, Western Society of Weed Science, pp. 79-82.
- Northam, F.E. and R.H. Callihan. 1991. Effects of herbicides on yellow starthistle density and vegetation biomass components of a rangeland yellow starthistle weed community. Res. Research Progress Report, Western Society of Weed Science, pp. 43-46.
- Olson, B.E. 1999. Grazing and weeds. pp. 85-96. In: R.L. Sheley and J.K. Petroff (eds.) *Biology and Management of Noxious Rangeland Weeds*. Oregon St. University Press, Corvallis, OR.
- Osborne, M.A. 1998. Integrated Training Area Management (ITAM) Program, Fort Hunter Liggett, California. Land Condition Trend Analysis (LCTA) Component. Center for Ecological Management of Military Lands, Colorado State University.
- Panter, K.E. 1990. Toxicity of knapweed in horses. *Knapweed* 4:3-4.
- Panter, K.E. 1991. Neurotoxicity of the knapweeds (*Centaurea* spp.) in horses. pp. 316-324 In: L.F. James, J.O. Evans, M.H. Ralphs, and R.D. Child (eds.) *Noxious Range Weeds*. Westview Press, San Francisco, CA.
- Pearson, D.E., K.S. McKelvey, and L.F. Ruggiero. 2000. Non-target effects of an introduced biological control agent on deer mouse ecology. *Oecologia* 122(1):121-128.
- Pemberton, R.W. 2000. Predictable risk to native plants in weed biological control. *Oecologia* 125: 489-494.
- Pitcairn, M.J. 2002. Observations on the overwintering emergence of *Chaetorellia succinea* and *Urophora sirunaseva* in Central California. pp. 63-65 In: D.M. Woods (ed.) Biological Control Program Annual Summary, 2001. California Department of Food and Agriculture, Sacramento, CA.
- Pitcairn, M.J. and J.M. DiTomaso. 2000. Rangeland and uncultivated areas: integrating biological control agents and herbicides for starthistle control. pp. 65-72 In: M.S. Hoddle (ed.) California Conference on Biological Control II.
- Pitcairn, M.J. and J.M. DiTomaso, and J. Fox. 1999a. Integrating chemical and biological control methods for control of yellow starthistle. pp. 77-82 In: D.M. Woods (ed.) Biological Control Program Annual Report, 1998. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, CA.
- Pitcairn, M.J., J.M. DiTomaso, and V. Popescu. 2000a. Integrating chemical and biological control methods for control of yellow starthistle. pp. 58-61 In: D.M. Woods (ed.) Biological Control Program Annual Summary, 1999. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, CA.
- Pitcairn, M.J., D.B. Joley and D.M. Woods. 1997. Impact of plant density on yellow starthistle seed head production. pp. 59-61 In: D.M. Woods (ed.) Biological Control Program Annual Summary, 1996. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, CA.
- Pitcairn M.J., D.B. Joley, D.M. Woods, and V. Popescu. 1998a. Impact of *Chaetorellia succinea* on yellow starthistle, *Centaurea solstitialis*. p. 57 In: D.M. Woods (ed.) Biological Control Program Annual Summary, 1997. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, CA.
- Pitcairn, M.J., R.A. O'Connell, and J.M. Gendron. 1998b. Yellow starthistle: survey of statewide distribution. pp. 64-66 In: D.M. Woods (ed.) Biological Control Program Annual Summary, 1997. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, CA.

- Pitcairn, M.J., G.L. Piper, and E.M. Coombs. 2004. Yellow starthistle. In: E.M. Coombs, J.K. Clark, G.L. Piper, and A.F. Cofrancesco, Jr. (eds.), *Biological Control of Invasive Plants in the United States*. Oregon State University Press, Corvallis, OR. pp. 421-435.
- Pitcairn M.J., V. Popescu, D.B. Joley, and D.M. Woods. 1998c. Estimating the number of flowers per head from head diameter in yellow starthistle in California. pp. 60-63. In: D.M. Woods (ed.) Biological Control Program Annual Summary, 1997. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, CA.
- Pitcairn, M.J., S. Schoenig, R. Yacoub, and J. Gendron. 2006. Yellow starthistle continues its spread in California. *California Agriculture* 60(2):83-90.
- Pitcairn, M.J., B. Villegas, D.M. Woods, G. Wilber, A. Duffy, and M. El-Bawdri. 2003. Statewide survey of yellow starthistle biological control agents. pp. 45-49. In: D.M. Woods (ed.) Biological Control Program, Program Annual Summary, 2002. California Department of Food and Agriculture, Sacramento, CA.
- Pitcairn, M.J., D.M. Woods, D.B. Joley, and V. Popescu. 2000c. Five-year population buildup and combined impact of biological control insects on yellow starthistle. pp. 55-57. In: D.M. Woods (ed.) Biological Control Program Annual Summary, 1999. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, CA.
- Pitcairn, M.J., D.M. Woods, D.B. Joley, D.G. Fogle, and V. Popescu. 2000b. Impact of seedling pathogens on yellow starthistle in California. pp. 52-54. In: D.M. Woods (ed.) Biological Control Program Annual Summary, 1999. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, CA.
- Pitcairn, M.J., D.M. Woods, D. Joley, and V. Popescu. 2002. Seven-year population buildup and combined impact of biological control insects on yellow starthistle. pp. 57-59. D. M. Woods (ed.) Biological Control Program Annual Summary, 2001. California Department of Food and Agriculture, Sacramento, CA.
- Pitcairn M.J., D.M. Woods, E.F. Van Mantgem, and R.K. Wall. 1999b. Endemic natural enemy fauna of yellow starthistle and purple starthistle in central California. pp. 83-84. In: D.M. Woods (ed.) Biological Control Program Annual Summary, 1998. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, CA.
- Prather, T.S. 1994. Biology of yellow starthistle. Proc., California Weed Conference 46:219-223.
- Prather, T.S. and R.H. Callihan. 1989a. Interactions between a yellow starthistle community and a pubescent wheatgrass community. Research Progress Report, Western Society of Weed Science, pp. 81-83.
- Prather, T.S. and R.H. Callihan. 1989b. Yellow starthistle trends in perennial and annual communities. Research Progress Report, Western Society of Weed Science, p. 130.
- Prather, T.S. and R.H. Callihan. 1990. Yellow starthistle population dynamics in perennial and annual communities. Research Progress Report, Western Society of Weed Science, pp. 87-88.
- Prather, T.S. and R.H. Callihan. 1991. Interference between yellow starthistle and pubescent wheatgrass during grass establishment. *Journal of Range Management* 44(5):443-447.
- Prather, T.S., R.H. Callihan, and D.C. Thill. 1988. Revegetating yellow starthistle-infested land with intermediate wheatgrass. Research Progress Report, Western Society of Weed Science, pp. 68-69.
- Prather, T.S., P. Fuerst, and R.H. Callihan. 1991. Uptake and translocation of picloram in apparently resistant and known susceptible yellow starthistle. Research Progress Report, Western Society of Weed Science, pp. 312-315.
- Reever Morghan, K.J., E.A. Leger, and K.J. Rice. 2003. Clopyralid effects on yellow starthistle (*Centaurea solstitialis*) and non-target species. *Weed Science* 51:596-600.
- Rejmanek, M. and M.J. Pitcairn. 2002. When is eradication of exotic pest plants a realistic goal? pp. 249-253 In: Veitch, C.R. and M.N. Clout (eds.). *Turning the tide: the eradication of invasive species*. IUCN SSC Invasive Species Specialist Group. IUCN, Gland, Switzerland and Cambridge, UK
- Roché, B. 1965. Ecologic studies of yellow star-thistle (*Centaurea solstitialis* L.). Ph.D. dissertation, University of Idaho.
- Roché, B. 1991a. Yellow starthistle: wind, birds, and humans. *Knapweed* 5:3-4.
- Roché, B.F., Jr. 1991b. Seeds-From start to finish. *Knapweed* 5:1.
- Roché, B.F., Jr. 1992. Achene dispersal in yellow starthistle (*Centaurea solstitialis* L.). *Northwest Science* 66:62-65.
- Roché, B.F., Jr., C.T. Roché, and R.C. Chapman. 1994. Impacts of grassland habitat on yellow starthistle (*Centaurea solstitialis* L.) invasion. *Northwest Science* 68:86-96.
- Roché, C. 1991c. Bighead knapweed (*Centaurea macrocephala* Puschk.). Weeds. A Pacific Northwest Extension Publication, #PNW386. Washington, Idaho, Oregon. 2 pp.
- Roché, C.T. and B.F. Roché, Jr. 1988. Distribution and amount of four knapweed (*Centaurea* L.) species in eastern Washington. *Northwest Science* 62:242-253.
- Roché, B.F. and C.T. Roché. 1991. Identification, introduction, distribution, ecology, and economics of *Centaurea* species. pp. 274-291 In: L. F. James, J. O. Evans, M. H. Ralphs, and R. D. Child(eds.) *Noxious Range Weeds*. Westview Press. Boulder, CO.

- Roché, C.T. and D.C. Thill. 2001. Biology of common crupina and yellow starthistle, two Mediterranean winter annual invaders in western North America. *Weed Science* 49(4):439-447.
- Roché, C.T., D.C. Thill, and B. Shafii. 1997. Reproductive phenology in yellow starthistle (*Centaurea solstitialis*). *Weed Science* 45:763-770.
- Rosenthal, S.S., G. Campobasso, L. Fornasari, R. Sobhian, and C.E. Turner. 1991. Biological control of *Centaurea* spp. pp. 292-302 In: L.F. James, J.O. Evans, M.H. Ralphs, and R.D. Child (eds.) *Noxious Range Weeds*. Westview Press. Boulder, CO.
- Roy, D.N., D.H. Peyton, and P.S. Spencer. 1995. Isolation and identification of two potent neurotoxins, aspartic acid and glutamic acid, from yellow starthistle (*Centaurea solstitialis*). *Natural Toxins* 3:174-180.
- Rusmore, J.T. 1995. Use of fire and cutting to control yellow starthistle. pp. 13-19 In: Kelly, M. and Lovich, J. (eds.) *Proc., California Exotic Pest Plant Council Symposium*.
- Sabba, R.P., T.M. Sterling, and N.K. Lownds. 1998. Effect of picloram on resistant and susceptible yellow starthistle (*Centaurea solstitialis*): the role of ethylene. *Weed Science* 46:297-300.
- Schoenig, S. 1999. CDFA and CALTRANS team up to find eastern leading edge of yellow starthistle in the Sierras. *Noxious Times* 2(1):3.
- Scott, T. and N. Pratini. 1995. Habitat fragmentation: the sum of the pieces is less than the whole. *California Agriculture* 49(6):56.
- Shafii, B., W.J. Price, T.S. Prather, L.W. Lass and D.C. Thill. 2004. Using landscape characteristics as prior information for Bayesian classification of yellow starthistle. *Weed Science* 52:948-953.
- Sheley, R.L., J.S. Jacobs, and M.F. Carpinelli. 1998. Distribution, biology, and management of diffuse knapweed (*Centaurea diffusa*) and spotted knapweed (*Centaurea maculosa*). *Weed Technology* 12:353-362.
- Sheley, R.L., S. Kedzie-Webb, and B.D. Maxwell. 1999a. Integrated weed management on rangeland. pp. 57-68 In: R. L. Sheley and J. K. Petroff (eds.) *Biology and Management of Noxious Rangeland Weeds*. Oregon State University Press, Corvallis, OR.
- Sheley, R. and L. Larson. 1992. Is yellow starthistle replacing cheatgrass? *Knapweed* 6(4):3.
- Sheley, R.L. and L.L. Larson. 1994. Observation: Comparative life-history of cheatgrass and yellow starthistle. *Journal of Range Management* 47:450-456.
- Sheley, R.L., L.L. Larson, and J.S. Jacobs. 1999b. Yellow starthistle. pp. 409-416 In: Sheley, R.L. and J.K. Petroff (eds.) *Biology and Management of Noxious Rangeland Weeds*. Oregon State University Press, Corvallis, OR.
- Sheley, R.L., L.L. Larson, and D.E. Johnson. 1993. Germination and root dynamics of range weeds and forage species. *Weed Technology* 7(1):234-237.
- Sheley, R.L., M. Manoukian, and G. Marks. 1999c. Preventing noxious weed invasion. pp. 69-72 In: R. L. Sheley and J. K. Petroff (eds.) *Biology and Management of Noxious Rangeland Weeds*. Oregon State University Press, Corvallis, OR.
- Sheley, R.L., D.L. Zamora, C.H. Huston, R.H. Callihan, and D.C. Thill. 1983. Seed and seedling root growth characteristics of several populations of yellow starthistle (*Centaurea solstitialis* L.). Research Progress Report, Western Society of Weed Science, pp. 62-63.
- Shishkoff, N. and W. Bruckart. 1993. Evaluation of infection of target and nontarget hosts by isolates of the potential biocontrol agent *Puccinia jaceae* that infect *Centaurea* spp. *Phytopathology* 83:894-898.
- Smathers, R.L., R.O. Brooks, and E.L. Michalson. 1985. Controlling yellow starthistle economic considerations. *Bull. Idaho Agric. Exp. Stn.* 8(650):1-8.
- Sobhian, R. 1993a. Two biotypes of *Bangasternus orientalis* (Coleoptera: Curculionidae) found in Greece. *Proc., Entomology Society of Washington* 95(2):163-164.
- Sobhian, R. 1993b. Life history and host specificity of *Urophora sirunaseva* (Hering) (Dipt., Tephritidae), a candidate for biological control of yellow starthistle, with remarks on the host plant. *Journal of Applied Entomology* 116:381-390.
- Sobhian, R., G. Campobasso, and P.H. Dunn. 1992. Contribution to the biology of *Bangasternus orientalis* Capiomont (Col., Curculionidae). *Journal of Applied Entomology* 113:93-102.
- Sobhian, R. and L. Fornasari. 1994. Biology of *Larinus curtus* Hochhut (Coleoptera: Curculionidae), a European weevil for biological control of yellow starthistle, *Centaurea solstitialis* L. (Asteraceae), in the United States. *Biological Control* 4(4):328-335.
- Sterling, T.M., N.K. Lownds, E.P. Fuerst, T.S. Prather, and R.H. Callihan. 1991. Potential mechanism of picloram resistance in yellow starthistle (*Centaurea solstitialis* L.). *Weed Science Society of America Abstracts* 31:80.
- Sterling, T.M., N.K. Lownds, and L. W. Murray. 2001. Picloram-resistant and -susceptible yellow starthistle accessions have similar competitive ability. *Weed Science* 49(1):42-47.
- Stevens, K.L., S.C. Witt, and C.E. Turner. 1990. Polyacetylenes in related thistles of the subtribes Centaureinae and Carduinae. *Biochemical Systematics and Ecology* 18:229-232.
- Sun, M. and K. Ritland. 1998. Mating system of yellow starthistle (*Centaurea solstitialis*), a successful colonizer in North America. *Heredity* 80:225-232.

- Thomas, F. 1996. Using annual legumes to manage weeds. Proc., California Weed Science Society 48:120-122.
- Thomas, F. 1997. Selecting cover crops to suppress weeds. Proc., California Weed Science Society 49:68-71.
- Thomsen, C.D., M.P. Vayssieres, and W.A. Williams. 1994a. Grazing and mowing management of yellow starthistle. Proc., California Weed Conference 46:228-230.
- Thomsen, C.D., M.P. Vayssieres, and W.A. Williams. 1997. Mowing and subclover plantings suppress yellow starthistle. *California Agriculture* 51(6):15-20.
- Thomsen, C.D., W.A. Williams, and M.R. George. 1990. Managing yellow starthistle on annual range with cattle. *Knapweed* 4:3-4.
- Thomsen, C.D., W.A. Williams, M. Vayssières, and F.L. Bell. 1994b. Yellow starthistle control. Range Science Report #33, 6 pp.
- Thomsen, C.D., W.A. Williams, M. Vayssieres, C.E. Turner, and W.T. Lanini. 1996b. Yellow starthistle biology and control. Univ. Calif., Div. Agr. Nat. Res. Publication #21541. 19 pp.
- Thomsen, C.D., W.A. Williams, M. Vayssières, F.L. Bell, and M.R. George. 1993. Controlled grazing on annual grassland decreases yellow starthistle. *California Agriculture* 47(6):36-40.
- Thomsen, C.D., W.A. Williams, M.R. George, W.B. McHenry, F.L. Bell, and R.S. Knight. 1989. Managing yellow starthistle on rangeland. *California Agriculture* 43(5):4-7.
- Thomsen, C.D., W.A. Williams, W. Olkowski, and D.W. Pratt. 1996a. Grazing, mowing and clover plantings control yellow starthistle. *The IPM Practitioner* 18:1-4.
- Torrence, J.R., J.M. DiTomaso, and A. Hazebrook. 2003a. Large-scale integrated management of yellow starthistle (*Centaurea solstitialis*) at Fort Hunter Liggett, Monterey County, California. In: Kelly, M. (ed.) Proc., California Exotic Pest Plant Council Symposiums 2000, 2001, 2002. 6:63.
- Torrence, J.R., J.M. DiTomaso, and A. Hazebrook. 2003b. Long-term, large-scale, integrated management of yellow starthistle (*Centaurea solstitialis*) at Fort Hunter Liggett, Monterey County, California: lower cost follow-up maintenance is vital for successful control program. In: Kelly, M. (ed.) Proc., California Exotic Pest Plant Council Symposiums 2000, 2001, 2002. 6:126.
- Turner, C.E. 1992. Biological approaches to weed management. pp. 32-67 In: T. Beall (ed.) Beyond pesticides. Biological approaches to pest management in California. Div. Ag. Nat. Resources, Univ. Calif., Oakland.
- Turner, C.E. 1994. Host specificity and oviposition of *Urophora sirunaseva* (Hering) (Diptera: Tephritidae), a natural enemy of yellow starthistle. Proc., Entomological Society of Washington 96:31-36.
- Turner, C.E. and L. Fornasari. 1992. Biological control of yellow starthistle (*Centaurea solstitialis* L.) in North America. In: Delfosse, E. S. and Scott, R. R. (eds.) Proc., Eighth International Symposium on Biological Control of Weeds. Canterbury, New Zealand. 8:1-13.
- Turner, C.E., G.L. Piper, and E.M. Coombs. 1996. *Chaetorellia australis* (Diptera: Tephritidae) for biological control of yellow starthistle, *Centaurea solstitialis* (Compositae), in the western USA: establishment and seed destruction. *Bulletin of Entomological Research* 86(2):177-182.
- Turner, C.E., R. Sobhian, D.B. Joley, E.M. Coombs, and G.L. Piper. 1994. Establishment of *Urophora sirunaseva* (Hering) (Diptera: Tephritidae) for biological control of yellow starthistle in the Western United States. *Pan-Pacific Entomologist* 70:206-211.
- Uygur, S., L. Smith, F.N. Uygur, M. Cristofaro, J. Balciunas. 2005. Field assessment in land of origin of host specificity, infestation rate and impact of *Ceratapion bassicorne*, a prospective biological control agent of yellow starthistle. *BioControl* 50(3):525-541.
- Valenzuela-Valenzuela, J., N.K. Lownds, and T.M. Sterling. 1997. Clopyralid uptake, translocation and ethylene production in resistant and susceptible yellow starthistle plants. Proc., Western Society of Weed Science 50:36.
- Vencill, W.K. (ed.). 2002. Herbicide Handbook. 8th Ed. Weed Science Society of America, Champaign, Illinois.
- Villegas, B. 1998. Distribution of the yellow starthistle seed head flies, *Chaetorellia succinea* and *Chaetorellia australis* in California. pp. 55-56 In: D.M. Woods (ed.) Biological Control Program Annual Summary, 1997. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, CA.
- Villegas, B., J. Balciunas and C.E. Turner. 1997. Releases and establishment of two *Chaetorellia* flies for the biological control of yellow starthistle in California. pp. 27-31 In: D.M. Woods (ed.) Biological Control Program Annual Summary, 1996, California Department of Food and Agriculture, Division of Plant Industry, Sacramento, California.
- Villegas, B., T. Lenigar, and D. Haines. 2000a. Releases of the hairy weevil, *Eustenopus villosus*, in California for the biological control of yellow starthistle. pp. 47-50. In: D.M. Woods (ed.) Biological Control Program Annual Summary, 1999. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, CA.
- Villegas, B., D.A. Mayhew and J. Balciunas. 1999. Survey of *Chaetorellia* seed head flies on commercial and non-commercial safflower in California. pp. 85-87 In: D.M. Woods (ed.) Biological Control Program Annual Summary, 1998. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, CA.

- Villegas, B., D.A. Mayhew, F. Hrusa, and J. Balciunas. 2000b. Survey of *Chaetorellia* seed head flies on *Cirsium* thistles in close proximity to *Centaurea* spp. in California. pp. 62-63 In: D.M. Woods (ed.) Biological Control Program Annual Summary, 1999. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, CA.
- Villegas, B., M.J. Pitcairn, and E. Coombs. 2000c. Releases of *Nosema*-free *Larinus curtus* for the biological control of yellow starthistle in California in 1992-1999. pp. 35-37 In: D.M. Woods (ed.) Biological Control Program Annual Summary, 1999. California Department of Food and Agriculture, Plant Health and Pest Prevention Services, Sacramento, CA.
- Waterhouse, D.F. 1999. Foreword In: Julien, M.H. and M.W. Griffiths (eds.) *Biological Control of Weeds. A World Catalogue of Agents and their Target Weeds*. 4th Ed., CABI Publ., Wallingford, Oxon, UK.
- Weber, E. 1985. Grazing management controls weeds. *Soil and Water Conservation News* 6:4-5.
- White, I.M. and S.L. Clement. 1987. Systematic notes on *Urophora* (Diptera, Tephritidae) species associated with *Centaurea solstitialis* (Asteraceae, Cardueae) and other palaeartic weeds adventive in North America. *Proc., Entomological Society of Washington* 89(3):571-580.
- White, I.M., K. Groppe, and R. Sobhian. 1990. Tephritids of knapweeds, starthistles and safflower: results of a host choice experiment and the taxonomy of *Terellia luteola* (Wiedemann) (Diptera:Tephritidae). *Bulletin of Entomological Research* 80:107-111.
- Whitson, T.D. and R. Costa. 1986. Evaluation of various herbicides for control of yellowstar thistle (*Centaurea solstitialis* L.). Research Progress Report, Western Society of Weed Science, p. 51.
- Wilson, L.M. and J.P. MacCaffrey. 1999. Biological control of noxious rangeland weeds. pp. 97-116 In: R.L. Sheley and J.K. Petroff (eds.) *Biology and Management of Noxious Rangeland Weeds*. Oregon State University Press, Corvallis, OR.
- Woo, I., L. Swiadon, T. Drlik, and W. Quarles. 1999. Integrated management of yellow starthistle. *IPM Practitioner* 21(7):1-10.
- Wood, M. 1993. Weed-eating insects take the starthistle challenge. *Agricultural Research* 41:10-11.
- Woods, D.M. 1996. A new seedling disease of yellow starthistle, *Centaurea solstitialis* L. in California. *Weed Science Society of America Abstracts* 36:52.
- Woods, D.M., W.L. Bruckart, V. Popescu and M.J. Pitcairn. 2004. First field release of *Puccinia jaceae* var. *solstitialis*, a natural enemy of yellow starthistle. p. 31 In: D. M. Woods (ed.) Biological Control Program Annual Summary, 2003. California Department of Food and Agriculture, Plant Health and Pest Prevention Services Sacramento, CA.
- Woods, D.M. and D.G. Fogle. 1998. *Colletotrichum gloeosporioides* as a seedling disease of yellow starthistle, *Centaurea solstitialis*. p. 59. In: D.M. Woods (ed.) Biological Control Program Annual Summary, 1997. California Department of Food and Agriculture, Plant Health and Pest Prevention Services Sacramento, CA.
- Woods, D.M., M.J. Pitcairn, D. Joley, and V. Popescu. 2002. Seasonal impact of yellow starthistle biological control insects. pp. 60-62. In: D. M. Woods (ed.) Biological Control Program Annual Summary, 2001. California Department of Food and Agriculture, Sacramento, CA.
- Wrynski, J., P. Robins, G. Vesperat, and J.M. DiTomaso. 1999. Clopyralid demonstration trial Yolo County, California. *Proc., California Weed Science Society* 51:114-119.
- Young, J.A. 2003. Control of yellow starthistle and other roadside vegetation with natural-based products. Research Progress Report, Western Society of Weed Science. pp. 209-210.
- Young, S., W.W. Brown, and B. Klinger. 1970. Nigropallidal encephalomalacia in horses fed Russian knapweed (*Centaurea repens* L.). *American Journal of Veterinary Research* 31(8):1393-1404.
- Young, J.A. and W.S. Longland. 1996. Impact of alien plants on Grant Basin rangeland. *Weed Technology* 10:384-391.
- Zamora, D.L. and D.C. Thill. 1999. Early detection and eradication of new weed infestations. pp. 73-84 In: R.L. Sheley and J.K. Petroff (eds.) *Biology and Management of Noxious Rangeland Weeds*. Oregon State University Press, Corvallis, OR.

Appendix

Metric unit conversions

1 acre	=	0.405 hectares	
1 lb/acre	=	1.121 kg/hectare	= 1121 grams/hectare
1 oz/acre	=	0.070 kg/hectare	= 70.1 grams/hectare
1 gallon/acre	=	9.354 liters/hectare	
1 pt/acre	=	0.585 liters/hectare	
1 acre-foot	=	325,851 gallons	= 9227 cubic meters
1 inch	=	2.54 cm	= 25.4 mm
10 square feet	=	0.929 square meters	