



# CalEPPC News

A quarterly  
publication  
of the California  
Exotic Pest Plant Council

Volume 6 • Number 4

Fall 1998



Volunteer displays rooted *Arundo donax* washed onshore during El Niño storms.  
See page 5 for article. Photo by Annette Shears

## IN THIS ISSUE

- President's Message  
by Mike Pitcairn ..... p. 3
- Results of CalEPPC  
Questionnaire  
by Joe DiTomaso ..... p. 4
- CalWeed Database  
by Steve Schoenig ..... p. 6
- Invasive New Zealand Weeds  
by Graham Harris ..... p. 8
- Symposium on Invasive  
Weeds at WSS  
by Jodie Holt ..... p. 8

# Who We Are

*CalEPPC NEWS* is published quarterly by the California Exotic Pest Plant Council, a non-profit organization. The objects of the organization are to:

- ✦ provide a focus for issues and concerns regarding exotic pest plants in California;
- ✦ facilitate communication and the exchange of information regarding all aspects of exotic pest plant control and management;
- ✦ provide a forum where all interested parties may participate in meetings and share in the benefits from the information generated by this council;
- ✦ promote public understanding regarding exotic pest plants and their control;
- ✦ serve as an advisory council regarding funding, research, management and control of exotic pest plants;
- ✦ facilitate action campaigns to monitor and control exotic pest plants in California; and
- ✦ review incipient and potential pest plant management problems and activities and provide relevant information to interested parties.



## Please Note:

The California Exotic Pest Plant Council is a California 501(c)3 non-profit, public benefit corporation organized to provide a focus for issues and concerns regarding exotic pest plants in California, and is recognized under federal and state tax laws as a qualified donee for tax deductible charitable contributions.

# 1999 CalEPPC Officers and Board Members

## Officers

President	Mike Pitcairn	email: <mpitcairn@cdfa.ca.gov>
Vice-president	Joe DiTomaso	email: <jmditomaso@ucdavis.edu>
Secretary	Anne Knox	email: <aknox@ca.blm.gov>
Treasurer	Sally Davis	email: <sallydavis@aol.com>
Past-president	Ann Howald	email: <dfleland@compuserve.com>

## At-large Board Members

Greg Archbald	email: <greg_archbald@ggnpa.org>
Joe Balciunas	email: <joebalci@pw.usda.gov>
Carla Bossard	email: <bossard3@pacbell.net>
Tom Dudley*	email: <tududley@socrates.berkeley.edu>
Mike Kelly	email: <mkellysd@aol.com>
Jo Kitz*	email: <mtnsrt@aol.com>
John Randall	email: <jarandall@ucdavis.edu>
Steve Schoenig*	email: <sschoenig@cdfa.ca.gov>
Ellie Wagner*	email: <ewagner@trmx3.dot.ca.gov>
Peter Warner*	email: <warner@sonoma.edu>

**\*Board Members whose terms expire December 31, 1999**

## Working Group Chairpersons

Arundo	Nelroy Jackson	909.279.7787	nejack@monsanto.com
Artichoke thistle	Mike Kelly	619.566.6489	mkellysd@aol.com
Brooms	Karen Haubensak	510.643.5430	karenh@socrates.berkeley.edu
Cape ivy	Greg Archbald	415.561.3034,ex.3425	greg_archbald@ggnpa.org
Cortaderia spp.	Joe DiTomaso	530.754.8715	jmditomaso@ucdavis.edu
Euphorbia	Jo Kitz	818.346.9675	mtnsrt@aol.com
Fennel	Jennifer Erskin	530.753.8193	jaerskine@ucdavis.edu
Lepidium	Joel Trumbo	916.355.0128	jtrumbo@hg.dfg.ca.gov
Saltcedar	Bill Neill	714.779.2099	bneill@unocal.com
Spartina spp.	Steve Jones	510.803.7011	jonessteve@worldnet.att.net
Spurge	Jo Kitz	818.346.9675	mtnsrt@aol.com
Veldtrass	Dave Chipping	805.528.0914	dchippin@calpoly.com
Volunteers	Pete Halloran	415.647.5300	peteholloran@igc.org
Yellow starthistle	Mike Pitcairn	916.262.2049	mpitcairn@cdfa.ca.gov

Editor Sally Davis 32912 Calle del Tesoro, San Juan Capistrano, CA 92675  
ph. 949.487.5473 email: sallydavis@aol.com

**CalEPPC's web site:** <http://www.caleppc.org>

## Submission Dates for CalEPPC News

If you would like to submit a news item, an article, a meeting announcement, or job opportunity for publication in the CalEPPC News, they must be received by the deadlines listed below. Editor reserves the right to edit all submissions. Send your text/disk/email to editor's address above.

### Submission Dates:

<b>Spring</b>	<b>April 15</b>	<b>Fall</b>	<b>October 15</b>
<b>Summer</b>	<b>July 15</b>	<b>Winter</b>	<b>January 15</b>

The articles contained herein were contributed to the CalEPPC newsletter. These articles represent the opinions of the authors and do not necessarily reflect the views of CalEPPC. Although herbicide recommendations may have been reviewed in contributed articles, CalEPPC does not guarantee their accuracy with regard to efficiency, safety, or legality.

# President's Message

Mike Pitcairn

CalEPPC's Symposium '98 is over. It was held October 2-4 at the Ontario Airport Sheraton Hotel in Ontario in southern California and, I must say, it was another excellent symposium. The speakers were interesting, stimulating, and inspiring, and the field trips were educational and focused.

This year's meeting highlighted two important aspects of exotic weed removal: working safely, whether with hand equipment or applying herbicides, and working together through volunteer crews. All speakers are to be congratulated on their excellent presentations. This symposium could not have happened without the work of several individuals. Carl Bell, Brenda Ouwerkerk, Jo Kitz, Nelroy Jackson, and Pete Holloran made up the Program Committee. Thank you for arranging this year's outstanding speakers.

Nelroy Jackson and Sally Davis arranged for use of the hotel, Saturday's banquet luncheon, and made sure the necessary audio/visual equipment, refreshments, etc., were provided when needed. Thanks to both of you. Barbara Leitner organized the poster session again this year. Thank you for a job well done.

Christine Berry and Matt Brooks led the full-day field trip and Paul Frandsen, Nelroy Jackson, and Jennifer Nocera led the half-day field trip. Thanks to all of you for your efforts.

I attended the full-day field trip which was excellent, and I heard only positive comments regarding the half-day trip. The full-day trip focused on the impact of alien grasses invading the Mojave Desert. Their primary impact is the introduction of ground fires into areas where fire historically had not been

present. Usually, there are large areas of bare ground among the native vegetation in the desert, but following the invasion of alien grasses these bare areas are covered with a carpet of short grasses. When dry in mid-summer, the grasses carry low ground fires throughout an area. Few of the native desert flora, such as Joshua trees, yucca, and creosote

**“Few of the native desert flora, such as Joshua trees, yucca, and creosote bushes, can survive these low ground fires ...”**

bushes, can survive these fires. The grasses readily re-invade the burned areas and after a second fire, little native vegetation remains.

Matt and Christine showed us areas of the desert that have had no fires, one fire within the last ten years, and two fires within the last ten years. The change in flora from mixed native vegetation to almost all grasses was astounding and scary.

Not surprisingly, this change in vegetation impacts the native fauna as well, in particular the desert tortoise. Christine gave an interesting presentation on desert tortoise biology and the current research that is being performed. I encourage anyone who has not been on one of CalEPPC's field trips to attend one next year.

Next year's symposium is planned for the Sacramento area and efforts to organize it are already underway. I hope you are planning to attend. †

## Letter to the Editor

Two years ago, I was asked to fill a position on the CalEPPC Board of Directors for a mid-term vacancy. I knew I “didn't have time” to take on this additional time commitment and...heaven forbid... additional work. Nevertheless, I enthusiastically said **YES!** Two years later, as I leave the board, due to new career priorities, I wish I could once again say **YES**, and more! The experience of working with the CalEPPC Board and members is one I would gladly commit time to.

I'd like to thank each of the CalEPPC board members and officers for the fantastic, interesting, worthwhile two-year experience. I felt my limited time was never wasted, and I learned so much about exotic pest plants and people! I also made some friends that I will never forget.

I'd like to encourage each CalEPPC member to consider participating in CalEPPC beyond just the annual Symposium or working groups. The strength of CalEPPC is the leadership of the board, and the diversity and passionate commitment of our members toward the prevention, discovery, and control of exotic pest plants. Through individuals willing to say **YES**, CalEPPC has gained a highly respected leadership reputation throughout California, the United States, and the world.

I am very proud to be a part of this organization, and am glad I said **YES!**

Brenda W. Ouwerkerk

# Results of the CalEPPC Questionnaire at Symposium '98 in Ontario

by Joe DiTomaso

Many thanks to those who took the time to complete the questionnaire at the CalEPPC Symposium held in Ontario. There were 46 completed surveys. The following is a summary of the tabulated results:

## ***What are your major invasive weed problems?***

Of the 66 species listed by those responding to the survey, only the top 27 species are listed below. These represent species (or plant groups) reported to be invasive by at least 5% of those responding.

Yellow starthistle (50%); Eucalyptus spp. (22%); purple starthistle (11%); annual grasses (48%); brome grasses (21%); gorse (9%); other thistles (44%); ice plant (20%); Vinca spp. (9%); Arundo donax (39%); Brassica spp. (17%); red brome (9%); Cortaderia spp. (39%); tocalote (13%); tree tobacco (9%); saltcedar (37%); Ailanthus altissima (13%); poison hemlock (7%); brooms (33%); perennial pepperweed (13%); Acacia spp. (7%); Cape ivy (30%); castor bean (11%); Himalaya blackberry (7%); fennel (22%); Ammophila sp. (11%); Spartina sp. (7%).

## ***What are your major job responsibilities?***

Most people indicated more than one area of responsibility. Of those responding, 80% were involved in fieldwork, 48% in administration, 37% in public education, 11% in research, and 7% in academic education. Other categories were also listed but represented less than 5%.

## ***Are you employed by a:***

60% by public agencies, 13% by private companies, 11% by non-profit organizations, 9% were concerned citizens not employed to manage invasive weeds, 6% were associated with academic institutions, and 2% employed by homeowner associations.

## ***In what areas do you primarily work?***

Riparian ecosystems (65%); roadsides (33%); coastal dunes (4%); coastal wildlands (48%); forests (30%); industrial sites (2%); wetlands (48%); prairie (grasslands) (28%); recreational areas (2%); rangeland (37%); marine aquatic (9%); turf/landscapes (2%); foothill wildlands (33%); utility areas (9%); development sites (2%); freshwater aquatic (33%); desert (7%); alluvial fan scrub (2%).

## ***What control methods do you use for managing invasive weeds?***

After thousands of years, hand-pulling still remains the most commonly used method of weed control. Hand-pulling (76%); reseeding (30%); insect biocontrol (11%); cut stump herbicide (63%); intensive grazing (24%); rope wick herbicides (7%); broadcast herbicide (50%); picks, shovel, loppers, chainsaw, machete (20%); basal spray herbicides (7%); mowing (46%); weed whipping (15%); irrigation (4%); prescribed burning (43%); tillage (15%); spot spray herbicides (4%); weed wrench (39%); rotational grazing (13%); herbicide injection (2%); hack and squirt (30%); heavy equipment, e.g. dozers, brush rake, backhoe, ripping (11%).

## ***Do you supervise volunteers in your weed management efforts?***

Yes (56%); no (44%)

## ***If yes, what type of volunteers do you supervise?***

General public (79%); school children (44%); members of environmental or conservation organizations (76%); prisoners (40%); youth groups (56%).

## ***Do you directly use herbicides or supervise those who do?***

80% of the total responses either directly supervised, used or both supervised and used herbicides. Directly use (11%); supervise use (16%); both (52%); neither (20%).

## Survey (cont'd)

### ***How frequently do you use herbicide (growing season)?***

Of those indicating that they use herbicides 24% use them once to a couple of times a year, 29% use them about once a month, and 47% use them once a week or more.

### ***Which herbicides do you use for invasive weed control?***

A number of products were mentioned. To simplify this, the list is organized by the active ingredient. For example, both Rodeo and Roundup contain glyphosate, the active ingredient. Garlon, Remedy, Brush-B-Gon, and Path finder contain triclopyr. Glyphosate was used by everyone who indicated that they used herbicides.

Glyphosate (100%); Sethoxydim (6%); MSMA (3%); Triclopyr (69%); Fluazifop (6%); Oryzalin (3%); Clopyralid (20%); Chlorsulfuron (3%); Oxadiazon (3%); 2,4-D (11%); Imazapyr (3%); Dicamba (9%); Diuron (3%).

### ***Do you use integrated weed management strategies?***

Yes (73%); No (27%)

### ***Are you a licensed or certified applicator?***

Yes (39%); No (61%)

### ***In your weed control efforts, do you include site restoration?***

Yes (62%); No (38%)

### ***If yes, briefly indicate what type of restoration effort you implement.***

Of the 23 responding that they included site restoration, most replanted with native species. The techniques used included hydroseeding, planting container plants, drill seeding perennial grass seed, plug planting, broadcast seeding, pole planting. Others encouraged recovery of existing native seed banks.

### ***What area of the state does your job responsibilities cover?***

Of those attending the symposium in Ontario, approximately 44% had job responsibilities within Southern California, 28% in Central California, 21% in the Bay Area or Northern California, and 7% in the Sierra Nevada. Following is a more specific breakdown: Southern California (20%); San Diego (7%); North Coast (5%); Central Coast (20%); Central Valley (7%); Northern Valley (2%); So. Calif. Desert (11%); Sierra Nevada (7%); Northern California (2%); Bay Area (11%); Los Angeles (5%); Entire state (2%). †

# The Weed from Hell Arrives in Paradise

by Frank Starkey, Catalina Island Conservancy

Living on Santa Catalina Island, we are accustomed to welcoming non-natives which show up on our shores. They usually arrive via a ferry and stay for a brief time in one of the hotels in Avalon. This past spring we had a vast number of unwelcome non-natives rafting to the island's beaches and coves, staying and taking root. The spring storms had washed *Arundo donax* from mainland river channels and then out to sea. Thousands, literally

tons, of the "Weed from Hell" floated across the twenty-six mile channel and washed ashore onto our paradise.

Once here, even after soaking in salt water for several weeks, a number of the rhizomes still had the tenacity to take root and send out vigorous new sprouts. Knowing the well-earned reputation of *Arundo* wreaking havoc on native plants and habitat, the Catalina Island Conservancy mobilized staff and volunteers

to hit the beaches, searching for and removing this new threat. Six months after the initial episode we still encounter new sprouts in areas in which we had previously removed plants.

We are hopeful that the early removal efforts and follow-up monitoring will prevent this unwelcome non-native from getting a foothold in our island paradise. †

# Access Weed Control Information Through the CalWeed Database

by Steve Schoenig, California Department of Food and Agriculture

The CalWeed database, offering information on weed control projects throughout California, is up and running. CalWeed is an Internet-based searchable database containing information about noxious weed control projects within the state. The project began as a subcommittee effort of the California Interagency Noxious Weed Coordinating Committee (CINWCC). Led by staff of the California Department of Food and Agriculture, the inventory of projects has received additional funding from the Bureau of Land Management's California office. The Committee hopes that the database will serve as a useful tool to agency staff, researchers, biologists, and the public by facilitating the exchange of weed control information. Above all, it should serve as a networking tool for staff with weed control and land management responsibilities.

An agreement with the University of California's Information Center for the Environment (ICE) has allowed CalWeed to reside under the larger umbrella of the Natural Resource Projects Inventory (NRPI), another Internet-based database. The NRPI structure allows the weed control project information to be available through either its own Web site, specific just to weeds, or under a more general Web site which will access project descriptions for all resource management work being reported in California.

CalWeed provides viewers with short reports on various weed control efforts. Information available for a specific project includes:

- project title, purpose, and abstract
- weed targeted for control
- project contact
- cooperators, funders, and landowners
- general location and habitat information
- control methods used

A visitor to the site can view a complete list of CalWeed's projects, or can refine a search by county, targeted weed, or control method. More search categories will be available in the future. Also in the future, CalWeed will contain an online encyclopedia of noxious weeds.

CDFA has contracted with Dr. Joe DiTomaso and his staff at the University of California, Davis to provide viewers with specific information about both weed biology and control methods.

CalWeed currently contains reports on over 350 projects and is continually updated with new arrivals. If you have a project that you would like to report, simply fill out our three-page dataform and send it in. Forms may be accessed from the CalWeed home page, or by contacting Steve Schoenig at 1220 N Street, Room A-357, Sacramento, CA 95814, 916.654.0768, [sschoenig@cdfa.ca.gov](mailto:sschoenig@cdfa.ca.gov).


## What Constitutes a CalWeed Project?

Projects which qualify for this database attempt to eradicate or reduce the number of noxious weeds in California. The emphasis of CalWeed is on weeds deemed noxious by the California department of Food and Agriculture, or considered a threat to wildlands by the California Exotic Pest Plant Council.

The focus of the database is on projects that target specific weeds for control. These can be weeds that threaten natural areas, rangelands, open spaces, or agriculture. There is less interest in non-specific vegetation management or biomass abatement. Weed control for urban landscapes and intensive production agriculture is also not emphasized in CalWeed.

Projects should be in an active or maintenance phase; historical projects are currently outside the scope of our efforts. †

**Visit CalWeed at:**  
<http://endeavor.des.ucdavis.edu/weeds/>



# More on *Salsola soda*

by Peter Baye, U.S. Fish & Wildlife Service, Mare Island Suboffice

Thanks to Judi Tamasi for her attention to *Salsola soda*, an estuarine marsh invader which needs more attention than it has been getting. I have a few comments and observations to update the information available.

*Salsola soda* is well established in northern San Pablo Bay, where it has some of the most extensive populations anywhere in the estuary. The Mare Island dredge disposal ponds, saline basins of dredged muds which are annually drained and disced, support several hundred acres of weedy halophyte habitat in which *S. soda* is common to dominant. It also is co-dominant on many tens of acres of adjacent salt marsh where alluvial fans had previously formed from spilled or discharged dredge slurry. *S. soda* also is abundant on the levees surrounding the dredge ponds, particularly in tire ruts and disturbed soil. It also has invaded drift-lines (tidal litter deposits) in high salt marsh in adjacent tidal wetlands, and is locally abundant in brackish marshes with artificially reduced tidal action. *S. soda* also appears in conspicuous local abundance on side-cast excavated bay muds where ditches are excavated in the tidal salt marsh along Highway 37 to improve tidal circulation, particularly east of Sonoma Creek. It has made initial invasions in recently restored tidal marshes, such as the Sonoma Land Trust Petaluma Marsh Restoration Project ("Carl's Marsh" immediately north of the Petaluma River bridge at its mouth).

The abundance of *S. soda* near the mouth of the Napa River and Carquinez straits is of particular concern, because this places it well within dispersal range of the endan-

gered soft bird's-beak (*Cordylanthus mollis* ssp. *mollis*). Both species are most abundant in the high marsh zone where soils are relatively better drained and less frequently inundated. In the tidal brackish marshes of the north bay, this zone is also the preferred habitat for perennial pepperweed (*Lepidium latifolium*) ... a double threat to bird's-beak habitat.

*Salsola soda* is also becoming widespread in undisturbed salt marsh vegetation in parts of the south Bay. In Dumbarton Marsh and Newark Slough (one of the largest salt marsh areas in the south bay) *Salsola soda* is now invading not only the typical high tide drift-lines and disturbed levees, but also common to locally abundant on tidal creek bank edges (often with *Atriplex triangularis* and *Grindelia stricta*) and on extensive areas of outer Dumbarton Marsh in undisturbed, dense mixed stands of *Distichlis spicata* and *Salicornia viarginica*.

*S. soda* is abundant also on the oyster shell berms that form on eroding marsh edges around Ravenswood, Bair Island, Bird Island, and Greco Island. These unstable narrow beach ridges were the probably former habitat of the endangered California sea-blite (*Suaeda californica*), now extirpated in San Francisco Bay, but planned for reintroduction. Heavy invasion by *S. soda* in this rare sub-habitat could interfere with re-establishment of *Suaeda*. Similarly, if *Salsola* becomes abundant on natural creek bank levees, it could interfere with reintroduction and reestablishment of two other historic salt marsh species which are extir-

pated in the south bay, an owl's clover (salt tolerant populations of *Castilleja ambigua* ssp. *ambigua*) and Point Reyes bird's beak (*Cordylanthus maritimus* ssp. *palustris*). These species have an affinity for areas of sparse, low, or disturbed salt marsh vegetation which *Salsola* really colonizes and monopolizes.

Regarding the "unfilled niche" concept, *S. soda* seems to behave this way on novel, artificial habitats which are periodically disturbed, such as levees and dredge disposal ponds. *Atriplex triangularis*, a native annual Chenopod, seems to at least partially overlap with *S. soda*'s actual ecological niche in San Francisco baylands. However, I have little doubt the seed rain of *S. soda* generated by these artificial habitats poses an unacceptably high potential invasion rate in important habitats such as salt pans at marsh edges, and in high marsh vegetation supporting rare or endangered species. †













# 1999 CalEPPC Membership Form

If you would like to join CalEPPC, please remit your calendar dues using the form provided below. All members will receive the CalEPPC newsletter, be eligible to join CalEPPC working groups, be invited to the annual symposium and participate in selecting future board members. Your personal involvement and financial support are the key to success. Additional contributions by present members are welcomed!

Status	Individual	Institutional
<input type="checkbox"/> Retired/Student*	\$20.00	N/A
<input type="checkbox"/> Regular	\$30.00	\$100.00
<input type="checkbox"/> Contributing	\$50.00	\$250.00
<input type="checkbox"/> Sustaining/Patron	\$250.00	\$1000.00
<input type="checkbox"/> Lifetime	\$1000.00	N/A

Name

Affiliation

Address

City/State/Zip

Office Phone

Home Phone


Fax

email

Please make your check payable to **CalEPPC** and mail with this application form to:

CalEPPC Membership  
c/o Sally Davis  
32912 Calle del Tesoro  
San Juan Capistrano, CA 92675-4227

\* Students, please include current registration and/or class schedule



## Calendar of Events

- January 11 - 13     **51st Annual California Weed Science Society Meetings**, Anaheim. Contact: Wanda Graves, 510.790.1252
- January 11 - 15     **Natural Resources Communication Workshop**, Chico, sponsored by the Western Section of the Wildlife Society. Contact: Dr. Jon K. Hooper, 530.898.5811 or 6408, jhooper@facultypo.csuchico.edu
- January 20 - 23     **The Wildlife Society Western Section Annual Conference**, Monterey, sponsored by the Wildlife Society Western Section. Contact; William Hull, 510.465.4962, whull@cgbd.org
- February 8 - 10     **Weed Science Society of America Annual Meeting**, San Diego. Contact: J. Breithaupt, 913.843.1235, jbeith@allenpress.com



**CALIFORNIA  
EXOTIC  
PEST PLANT  
COUNCIL**

32912 Calle del Tesoro  
San Juan Capistrano, CA 92675-4427

ADDRESS CORRECTION REQUESTED

NON-PROFIT ORG.  
U.S. POSTAGE  
**PAID**  
MISSION VIEJO, CA  
PERMIT NO. 1117